

**VITAMINS B₁ + B₆ + B₁₂****NURAMINE FORTE**100mg/100mg/1mg Solution for Injection
(I.M./I.V)**VITAMINS****FORMULATION:**

Each 3 mL ampoule contains:
Thiamine Hydrochloride (Vitamin B₁).....100 mg
Pyridoxine Hydrochloride (Vitamin B₆).....100 mg
Cyanocobalamin (Vitamin B₁₂).....1 mg

PRODUCT DESCRIPTION:

Nuramine Forte Injection is the combination of the vitamin B-complex factors (including Vitamin B₁, B₆, B₁₂) it is used in vitamin B deficiency states.

INDICATIONS:

Prevention and treatment of vitamin B₁, B₆, & B₁₂ deficiencies.

CONTRAINDICATIONS:

Hypersensitivity to any ingredients in the formulation.

ADVERSE EFFECTS:

With thiamine are rare, but hypersensitivity reactions have occurred, mainly after parenteral doses. These reactions have range in severity from very mild to very rarely fatal anaphylactic shock. Long term use of large doses of pyridoxine is associated with the development of severe peripheral neuropathies.

DOSAGE & ADMINISTRATION:

In severe cases 1 ampoule a day by intramuscular injection, at best slow intragluteal, until the disappearance of the acute symptoms. In milder cases and for follow - up treatment 1 ampoule 2-3 time weekly. Because the possibility of sensitization against vitamin B₁, intravenous injections of **NURAMINE FORTE** should be made cautiously and slowly, preferably in the form of infusion. Or as prescribed by the physician.

REPORTING OF SUSPECTED ADVERSE REACTIONS:

To allow continued monitoring of the benefit/risk balance of the medicinal product, reporting of suspected adverse reactions is necessary. Healthcare professionals are encouraged to report any suspected adverse reaction/s directly to the importer/distributor and/or to FDA: www.fda.gov.ph. Patients are advised to seek immediate medical attention at the first sign/s of adverse reactions.

STORAGE RECOMMENDATION:

Store at temperatures not exceeding 30°C.
Protect from light & heat.

DRUG INTERACTIONS:

Pyridoxine reduces the effects of levodopa but this does not occur if a dopa decarboxylase inhibitor is given. Pyridoxine reduces the activity of alitretamine. It has also been reported to decrease serum concentration of phenobarbital and phenytoin.

CAUTION:

Foods, Drugs, Devices & Cosmetics Act prohibits dispensing without prescription. Keep out of reach of children.

AVAILABILITY:

USP Type I Amber Glass Ampoule x 3 mL (Box of 10's)

FDA Registration Number: DRP-3641

Date of Renewal of Authorization: 16 JUNE 2021

Date of Revision of Package Insert: 09 NOVEMBER 2021



Manufactured by:

GEOFIN PHARMACEUTICALS

30/23, Korangi Industrial Area, Karachi, Pakistan.



Imported & Distributed by:

SAHAR INTERNATIONAL TRADING INC.

354 Aguirre Ave., Phase-III, BF Homes, Parañaque City.