

Vitex negundo L.
(Lagundi leaf)

NEGACOF
600 mg Tablet
Anti-cough / Antiasthma

FORMULATION:

Each tablet contains 600 mg of Lagundi (*Vitex negundo L. Fam Verbenaceae*), PP dried leaves.

PRODUCT DESCRIPTION:

Negacof tablet is a greenish brown to brown mottled white, capsule shaped tablet (oblongated flat) with distinctly perceptible Lagundi odor.

WHAT IS IN THE MEDICINE?

Negacof tablet contains Lagundi (*Vitex negundo L. Fam Verbenaceae*), dried leaves. It is the only extensively researched and clinically proven natural medicine for cough and asthma in the Philippines. Lagundi (*Vitex negundo L.*) leaves is the main component of the Negacof. It is a large native shrub that grows in the Philippines.

WHAT IS THE MEDICINE USED FOR?

This product is used for the relief of mild to moderate cough due to common colds and flu. For cough of bacterial origin. For the relief of mild to moderate reversible bronchospasm in adults.

HOW MUCH AND HOW OFTEN SHOULD YOU USE THE MEDICINE?

Adult: 300 – 600 mg three to four times a day. Or as prescribed by the physician.

WHEN SHOULD YOU NOT TAKE THIS MEDICINE?

If you are allergic to any ingredient of the product. Safety among pregnant and lactating women has not been studied.

UNDESIRABLE EFFECTS?

Some patients experience itch, nausea, vomiting and diarrhea without a predominating complaint. No known contraindications.

WHAT OTHER MEDICINE OR FOODS SHOULD BE AVOIDED WHILE TAKING THIS MEDICINE?

It may be taken with or without food. Take before or after meal.

WHAT SHOULD YOU DO IF YOU MISS A DOSE?

If you miss a dose, just give the next dose and the subsequent doses at the usual recommended schedule. Do not double the dose unless recommended by a doctor.

HOW SHOULD YOU KEEP THE MEDICINE?

- Keep the product out of reach and sight of children.
- Store at temperatures not exceeding 30°C
- Protect from light

SIGNS AND SYMPTOMS OF OVERDOSE

"There is no known signs and symptoms of overdose"

WHAT TO DO WHEN YOU HAVE USED MORE THAN THE RECOMMENDED DOSAGE?

In case of an overdose, consult a doctor or pharmacist immediately.

CARE THAT SHOULD BE TAKEN WHEN TAKING THIS MEDICINE

- Do not use after the expiry date on the label.
- Do not give more than the recommended dose.

WHEN SHOULD YOU CONSULT YOUR DOCTOR?

If any undesirable effect occurs and if symptoms persist.

AVAILABILITY

Aluminum Strip Foil x 10's (Box of 100's)

DATE OF PATIENT INFORMATION LEAFLET (PIL): August 2018

Negacof Tablet Registration no.: HMR-112

ADR Reporting Statement

"For suspected adverse drug reaction, report to the FDA: www.fda.gov.ph"

Patient must seek medical attention immediately at the first sign of any adverse drug reaction.

Manufactured by:

LA CROESUS PHARMA INC.
Brgy. Sto. Tomas Biñan, Laguna

Manufactured for:

MEDILYN DRUG
4 Dominga St. Mendez Rd., Baesa Quezon City

Under License from: University of the Philippines Manila (UPM)
National Integrated Research Program on Medicinal Plants (NIRPROMP)