

Read the package insert carefully before using
For more information, please contact your physician.
Keep out of the reach of children.

Carica papaya (Papain) + Anethum graveolens L. (Dill oil fruit) + Pimpinella anisum L. (Anise oil fruit) + Carum carvi L. (Caraway oil fruit) + Alpha amylase

NEOPEPTINE®

R_x

Drops

Composition

Each mL contains
Alpha-amylase 20 mg
(Bacterial 1:800)
Papain U.S.P. 10 mg
Dill Oil B.P. 2 mg
Anise Oil B.P. 2 mg
Caraway Oil B.P. 2 mg
Flavoured base q.s.
(Appropriate overages added)
Permitted Colour: Sunset Yellow FCF

Excipients: Methyl Hydroxybenzoate B.P., Propyl Hydroxybenzoate B.P., Sodium Benzoate B.P., Saccharin Sodium B.P., Glycerol B.P., Sodium Hydroxide B.P., Acacia B.P., Sunset Yellow FCF I.H.S., Calcium Chloride Dihydrate B.P., Hydrochloric acid B.P, Purified Siliceous earth (Hyflosupercel) N.F., Purified Water B.P.

Dosage form: Liquid oral

Presentation: Amber colored Polyethylene terephthalate bottle of 15 ml with dropper in a carton.

Indications: For the treatment of indigestion and flatulence.

Dosage and Administration: For infants less than 1 year: 0.5 ml (about 12 drops) daily in single or in two divided doses.

For children over 1 year: 0.5 ml (about 12 drops), 2-3 times per day or as directed by physician. Administrate after meal, lactating or directly to mouth, or mix in children's milk, drinking water or food.

Contraindications: Hypersensitivity to any ingredients of products.

Pregnancy: Neopeptine drops if for paediatric use only.

Precautions: No special precaution indicated. The preparation should be consumed before the Expiry Date.

Drug Interactions: Antacids: Calcium carbonate or Magnesium Hydroxide may negate the beneficial effects of the enzymes.

Unwanted effects: Inform your physician the unwanted effects after administering.

Effects on ability to drive and use machine: Neopeptine drops if for paediatric use only.

Pharmacodynamics/Pharmacokinetics: Alpha-amylase is an amyolytic enzyme obtained from non-pathogenic variant of *B. subtilis*. Papain is a proteolytic enzyme prepared from the unripe fruit of *Carica papaya* (Caricaceae). Neopeptine Drops helps the digestion of food in infants and children having impaired digestion, especially during weaning period. Neopeptine Drops removes the gases produced by fermentation in the intestine due to its carminative effect.

It regulates the GIT peristalsis by its essential oils.

Overdose and Treatment: Excessive doses may cause nausea, abdominal cramps or diarrhoea. Extremely high doses have been associated with hyperuricosuria and hyperuricemia. No other report on overdoses of digestive enzyme products.

ADR Reporting: For suspected adverse drug reaction, report to the FDA: www.fda.gov/ph

Caution: Foods, Drugs, Devices, and Cosmetics Act prohibits dispensing without prescription.

Specifications: Manufacturer

Storage conditions: Store at a temperature not exceeding 30°C, protected from light.

Expiry: 24 months from the date of manufacture. After opening the bottle the product should be consumed within the expiry date mentioned over the pack.



Manufactured by:
RAPTAKOS, BRETT & CO. LTD.
1st Pokhran Road, Shastri Nagar,
Thane 400 606, India



Imported & distributed by:
RAPTAKOS, BRETT & CO. LTD.
0511 Cityland 10 Tower 1,
H.V. Dela Costa St., Be-Air, Makati City

90 mm

Open size : 90 mm x 230 mm. Fold size : 90 mm x 30 mm.

230 mm